

| System involved | Benzodiazepines | Nonbenzodiazepine benzodiazepine receptor agonists | SSRI/SNRI | Tricyclics, MAOIs, other antidepressants | Antipsychotics | Lithium | Mood stabilizers |
|-----------------|--------------------|--|--------------------|--|-------------------|-----------|-------------------|
| GENERAL | Sweating | | Sweating | Sweating | Sweating | | Sweating |
| | Flu-like symptoms | | Flu-like symptoms | Flu-like symptoms | Flu-like symptoms | | Flu-like symptoms |
| | Headache | | Headache | Headache | Headache | | Headache |
| | Flushing | | Flushing Chills | Chills | Chills | | |
| | Fatigue | | Fatigue | Fatigue | | | |
| | Weakness | | Weakness | | | | Weakness |
| | Pain | | Pain | | | | Pain |
| | Malaise | | Malaise | | | | |
| | Perceptual ataxia | | | | | | |
| | Itching, skin rash | | | Tiredness | | | |
| | | | | Lethargy | | | |
| | | | | Infection | | | |
| | | | | | Hypothermia | | |
| | | | | Dizziness | | Dizziness | |
| | | | | Lacrimation | | | |

| System involved | Benzodiazepines | Nonbenzodiazepine benzodiazepine receptor agonists | SSRI/SNRI | Tricyclics, MAOIs, other antidepressants | Antipsychotics | Lithium | Mood stabilizers | |
|-------------------|-----------------------------|--|-------------------------------------|--|----------------------|--------------|---------------------------|--------------|
| CARDIO-VASCULAR | Tachycardia | | Tachycardia | Tachycardia | Tachycardia | | Tachycardia | |
| | Dizziness | | Dizziness | | Dizziness | | | |
| | Lightheadedness, vertigo | | Lightheadedness | | Lightheadedness | | | |
| | Chest pain | | Chest pain | | Chest pain | | | |
| | | | | Hypertension | | Hypertension | | Hypertension |
| | Postural hypotension | | Postural hypotension | | | | | Hypotension |
| | | | | Vertigo | | | | |
| | | | | Syncope | | Pre-syncope | | |
| | | | | Dyspnea | | | | |
| | | | | | Angina pectoris | | | |
| | | | | Risk of myocardial infarction | | | | |
| | | | | Arrhythmia | | | | |
| GASTRO-INTESTINAL | Nausea | Nausea | Nausea | Nausea | Nausea | | Nausea | |
| | Vomiting | | Vomiting | Vomiting | Vomiting | | Vomiting | |
| | Anorexia, weight loss | | Anorexia, appetite problems | Low appetite | Anorexia | | Anorexia | |
| | Diarrhea | | Diarrhea | Diarrhea | Diarrhea | | | |
| | Abdominal pain/cramp | | Abdominal pain/cramp/ distention | | Abdominal pain/cramp | | | |
| | | | | Loose stools | | Loose stools | | |
| | | | | | | Salivation | | |
| | | | Esophagitis | | | | | |
| | | | Increased bowel movements | | | | | |
| | Constipation | | | | | | | |
| | Dry mouth | | | | | | | |
| | Gastrointestinal problems | Gastric problems | | Gastrointestinal problems | | | Gastrointestinal problems | |
| GENITO-URINARY | Increased urinary frequency | | | | | | | |

| System involved | Benzodiazepines | Nonbenzodiazepine benzodiazepine receptor agonists | SSRI/SNRI | Tricyclics, MAOIs, other antidepressants | Antipsychotics | Lithium | Mood stabilizers |
|-----------------|-----------------|--|-----------|--|----------------|---------|------------------|
|-----------------|-----------------|--|-----------|--|----------------|---------|------------------|

SENSORY

| | | | | | | | |
|--|--------------------------------|--|------|--|---------------------------|--|-------------|
| Electric shock sensations | Electric shock sensations | | | | Electric shock sensations | | |
| Tinnitus | Tinnitus | | | | | | |
| Blurred vision, visual changes | Blurred vision, visual changes | | | | | | Photophobia |
| | Brain zaps | | Zaps | | Zaps | | |
| Hypersensitivity to touch/sound/smell | Hyperesthesia | | | | | | |
| Taste/smell disturbances, metallic taste in mouth | Altered taste | | | | | | |
| Perceptual distortions (e.g., sensation of the floor undulating) | | | | | | | |
| | Pruritus | | | | | | |
| | Crawling/pricking sensations | | | | | | |
| | Buzzing noise within the head | | | | | | |

NEURO-MUSCULAR

| | | | | | | | |
|-----------------------|-----------------------|--|-------------|--|-----------------------|--|-----------------------|
| Paresthesia | Paresthesia | | Paresthesia | | Paresthesia | | |
| Myoclonus | Myoclonus | | | | Inducible clonus | | |
| Tremor | Tremor | | Tremor | | Tremor | | Tremor |
| Coordination problems | Coordination problems | | | | Coordination problems | | Coordination problems |
| Numbness | Numbness | | | | | | |
| Stiffness | Stiffness | | | | Stiffness | | |
| Myalgia | Myalgia | | | | Myalgia | | Myalgia |
| Ataxia | Ataxia | | Ataxia | | | | Ataxia |
| Muscular spasm | Muscular spasm | | | | | | |
| Fasciculation | | | | | | | |
| Twitches cramps | | | | | | | Twitches cramps |
| | Neuralgias | | | | | | |
| | Jerkiness | | | | | | |
| | Arthralgias | | | | | | |
| | Cramp | | | | | | |
| | Hemiplegia | | | | | | |
| | | | | | Myosis | | |
| | | | | | Hyperreflexia | | Hyperreflexia |
| | | | Dystonia | | | | |

SEXUAL

| | | | | | | | |
|--------------------------|--------------------------|--|--|--|--|--|--|
| Premature ejaculation | Premature ejaculation | | | | | | |
| Genital hypersensitivity | Genital hypersensitivity | | | | | | |

| System involved | Benzodiazepines | Nonbenzodiazepine benzodiazepine receptor agonists | SSRI/SNRI | Tricyclics, MAOIs, other antidepressants | Antipsychotics | Lithium | Mood stabilizers |
|-------------------------------|--------------------------|--|------------------------------------|--|------------------------|----------------|-------------------------|
| <i>Central nervous system</i> | | | | | | | |
| NEUROLOGICAL | Seizures | Seizures | Seizures | Seizures | Tonic clonic seizures | | |
| | | | Stroke-like symptoms | | Coma | | |
| | | | | Akathisia | Akathisia | | |
| | | | | Parkinsonism | Parkinsonism | | |
| COGNITIVE | Confusion | | Confusion | | Confusion | Confusion | |
| | Amnesia | | Amnesia | | Amnesia | Amnesia | Ipomnesia |
| | Decreased concentration | | Decreased concentration | | | | Decreased concentration |
| | | | Disorientation | | Disorientation | | |
| | Lethargy | | Lethargy, drowsiness | | Lethargy | | |
| | | | Attention difficulties | | Attention difficulties | | |
| AFFECTIVE | Indecision | | | | | | |
| | | | Slurred speech | | | | |
| | Anxiety | | Anxiety | Anxiety | Anxiety | Anxiety | Anxiety |
| | Agitation | | Agitation | Agitation | Agitation | | Agitation |
| | Depression | | Depression | Depression | Depression | | Depression |
| | Irritability | | Irritability | Irritability | Irritability | Irritability | Irritability |
| | Panic | | Panic | Panic | | | |
| | Derealization | | Derealization | | | | |
| | Depersonalization | | Depersonalization | Depersonalization | | | Depersonalization |
| | Dysphoria | | Dysphoria | Dysphoria | Dysphoria | | Dysphoria |
| | | | Mood swings | | | | |
| | | | Suicidal ideation | | | | |
| | | | Hypomania, euphoria | Hypomania, mania | | | Anhedonia |
| | | | Fear | | | | |
| | Nervousness | | Nervousness | | | | |
| | | | Tension | | | | Tension |
| | | | Anger | | | | |
| | | Feeling of imminent death | | | | | |
| | | Terror | | | | | |
| | | Agoraphobia | | | | | |
| PSYCHOTIC | Hallucinations | | Visual/auditory hallucinations | Hallucinations | | | Hallucinations |
| | Delirium | | Delirium | | | | |
| | | | Catatonia | | Catatonia | | |
| | Paranoia | | | Paranoia | | | Paranoia |
| | Distortion of body image | | | | | | |
| | | Psychosis | | | | | |
| BEHAVIORAL | | | | Delusions | | | |
| | Restlessness | | Restlessness | Restlessness | Restlessness | | |
| | Aggressive behavior | | Aggressive behavior | | Aggressive behavior | | |
| | | | Impulsivity | | | | |
| SLEEP | | | Bouts of crying/outbursts of anger | | | | |
| | Insomnia | | Insomnia | Insomnia | Insomnia | | Insomnia |
| | Nightmares | | Nightmares | Nightmares | | | |
| | Sleep problems | | Sleep problems | Restless sleep | | Sleep problems | |
| | | Abnormal dreams | Vivid dreams | Vivid frightening dreams | | | |
| | | Hypersomnia | | | | | |